

### Fabricated Complete Steel Outlets With non-return Valve

|  |   |   |   |   |  |
|--|---|---|---|---|--|
|  |  |  |  |  |  |
| <b>Size</b>  | 3"  | 4"  | 5"  | 6"  | 6"(For 215)  |
| <b>Price</b>   | RS. 3000  | RS. 3300  | RS. 8000  | RS. 20000   | RS. 25000  |



**Manufacturer Since 1995**

### Cast Iron Outlets

| Size                                       | Price    |
|--|----------|
| For SP 17,30,46,60<br>3 and 4"<br>Delivery | RS. 1500 |
| For SP 77,95<br>4 and 5"<br>Delivery       | RS. 2500 |
| For SP 125,160<br>5 and 6"<br>Delivery     | RS. 3500 |
| For SP 215<br>6 and 7"<br>Delivery         | RS. 4500 |

### Fabricated Complete Steel Connectors

|   |  |
|---|--|
| 4" Motor Fitting  | 6" Motor Fitting   |
| RS. 3800  | RS. 3800   |
|  |  |



### Casting Complete Steel Connectors

|                             |           |   |
|-----------------------------|-----------|---|
| SP 77,95 6" Motor Fitting   | RS. 8000  |  |
| SP 125,160 6" Motor Fitting | RS. 20000 |  |
| SP 215 6" Motor Fitting     | RS. 25000 |  |

### SS 304 Grade Impeller And Diffuser

| Size   | Price     | Image   |
|--------|-----------|---|
| SP 17  | RS. 4000  |    |
| SP 30  | RS. 4900  |    |
| SP 46  | RS. 4900  |   |
| SP 60  | RS. 5200  |  |
| SP 77  | RS. 11500 |  |
| SP 95  | RS. 12500 |  |
| SP 125 | RS. 22500 |  |
| SP 160 | RS. 24500 |  |
| SP 215 | RS. 45000 |  |

### Cast Iron Connectors

|  |          |   |
|--|----------|---|
| For SP 17,30,46,60<br>4" Motor Fitting | RS. 2000 |  |
| For SP 77,95<br>6" Motor Fitting       | RS. 2500 |  |
| For SP 125,160<br>6" Motor Fitting     | RS. 3500 |  |
| For SP 215<br>6" Motor Fitting         | RS. 4500 |  |

اے بی پمپس مین دل محمد روڈ، پاتھی گراؤنڈ لاہور

AB PUMPS

AB PUMPS

AB PUMPS



### SS Nozzle For PVC Pipe Fitting And HDPE Pipe Fitting

| Size(8" Length and 3mm thickness) | Price In RS. | Size(6" Length and 3mm thickness) | Price In RS. |
|-----------------------------------|--------------|-----------------------------------|--------------|
| 2/2                               | 1600         | 2/2                               | 1200         |
| 2.5/2.5                           | 2000         | 2.5/2.5                           | 1600         |
| 3/3                               | 2300         | 3/3                               | 1900         |
| 3/2                               | 2500         | 3/3                               | 2100         |
| 4/4                               | 2800         | 4/4                               | 2400         |
| 4/3                               | 3000         | 4/4                               | 2600         |
| 5/5                               | 3300         | 5/5                               | 2900         |
| 5/4                               | 3500         | 5/4                               | 3100         |
| 6/6                               | 3800         | 6/6                               | 3400         |
| 6/5                               | 4000         | 6/5                               | 3600         |



### SS Bolt For Motors

| Size  | Price   |
|-------|---------|
| 12/50 | RS. 100 |
| 12/55 | RS. 120 |
| 12/60 | RS. 140 |



### MS BEND

| Size | Price In RS.       |                    |
|------|--------------------|--------------------|
|      | 14 Guage Thickness | 10 Guage Thickness |
| 3"   | 550                | 800                |
| 4"   | 650                | 1100               |
| 5"   | 850                | 1400               |
| 6"   | 1100               | 1800               |

### Rubber Products

#### Synthetic Rubber Rings For Diffuser

| Size   | Price (RS.) |
|--------|-------------|
| SP 17  | 50          |
| SP 30  | 70          |
| SP 46  | 90          |
| SP 60  | 90          |
| SP 95  | 140         |
| SP 125 | 200         |
| SP 160 | 200         |

#### Synthetic Rubber Rings For Connector

| Size   | Price (RS.) |
|--------|-------------|
| SP 17  | 100         |
| SP 30  | 100         |
| SP 46  | 90          |
| SP 60  | 90          |
| SP 95  | 70          |
| SP 125 | 100         |
| SP 160 | 100         |

#### Synthetic Rubber Bush For Diffuser

| Size   | Price (RS.) |
|--------|-------------|
| SP 17  | 30          |
| SP 30  | 40          |
| SP 46  | 40          |
| SP 60  | 40          |
| SP 95  | 70          |
| SP 125 | 100         |
| SP 160 | 100         |



### MS Nozzle Chrome Platted For PVC Pipe And HDPE Pipe Fitting

| Size(8" Length and 3.5mm thickness) | Price In RS. | Size(6" Length and 3mm thickness) | Price In RS. |
|-------------------------------------|--------------|-----------------------------------|--------------|
| 2/2                                 | 500          | 2/2                               | 300          |
| 2/1.5                               | 600          | 3/3                               | 500          |
| 3/3                                 | 800          | 4/4                               | 700          |
| 3/2                                 | 900          | 5/5                               | 900          |
| 4/4                                 | 1300         | 6/6                               | 1200         |
| 4/3                                 | 1400         |                                   |              |
| 5/5                                 | 1500         |                                   |              |
| 5/4                                 | 1650         |                                   |              |
| 6/6                                 | 1800         |                                   |              |
| 6/5                                 | 1950         |                                   |              |

### SS Steel Impeller nut And Threaded Bush

| Size          | Rate In RS. |
|---------------|-------------|
| SP17,30,46,60 | 400         |
| SP 77,95      | 750         |
| SP 125,160    | 1000        |



### SS Nutt Stud

|       |         |
|-------|---------|
| 10/55 | RS. 80  |
| 12/55 | RS. 100 |
| 14/65 | RS. 150 |
| 16/75 | RS. 200 |

### SS Stud For Motor

#### Double Threading

|       |         |
|-------|---------|
| 12/55 | RS. 100 |
| 12/65 | RS. 140 |



### Connector Jali

|                  |          |
|------------------|----------|
| For 4" Connector | RS. 300  |
| For 6" Connector | RS. 450  |
| For 8" Connector | RS. 1200 |

03200045029 راپہلہ  
04237220668 نمبر

اے بی پمپس مین دل محمد روڈ، پاتھی گراؤنڈ لاہور

AB Pumps Pvt Ltd AB Pumps Pvt Ltd AB Pumps Pvt Ltd

### Stainless Steel Strips For ASP Series Pump

14 Gauge Thickness 29mm Width 10/12 mm Stud nut

33m width with 14mm Stud nut

38m width with 16mm Stud nut

Stage SP 17 SP30 SP46,60 SP 77,95 SP 125, 160

#### Rates

| Stage | SP 17 | SP30 | SP46,60 | SP 77,95 | SP 125, 160 |
|-------|-------|------|---------|----------|-------------|
| 1     | 150   | 180  | 240     | 400      | 500         |
| 2     | 180   | 210  | 280     | 460      | 580         |
| 3     | 210   | 240  | 320     | 520      | 660         |
| 4     | 240   | 270  | 360     | 580      | 740         |
| 5     | 270   | 300  | 400     | 640      | 820         |
| 6     | 300   | 330  | 440     | 700      | 900         |
| 7     | 330   | 360  | 480     | 760      | 980         |
| 8     | 360   | 390  | 520     | 820      | 1060        |
| 9     | 390   | 420  | 560     | 880      | 1120        |
| 10    | 420   | 450  | 600     | 940      | 1200        |
| 11    | 450   | 480  | 640     | 1000     | 1280        |
| 12    | 480   | 510  | 680     | 1060     | 1360        |
| 13    | 510   | 540  | 720     | 1120     | 1440        |
| 14    | 540   | 570  | 760     | 1180     | 1520        |
| 15    | 570   | 600  | 800     | 1240     | 1600        |
| 16    | 600   | 630  | 840     | 1300     | 1680        |
| 17    | 630   | 660  | 880     | 1360     | 1760        |
| 18    | 660   | 690  | 920     | 1420     | 1840        |
| 19    | 690   | 720  | 960     | 1480     | 1920        |
| 20    | 720   | 750  | 1000    | 1540     | 2000        |
| 21    | 750   | 780  | 1040    | 1600     | 2080        |
| 22    | 780   | 810  | 1080    | 1660     | 2160        |
| 23    | 810   | 840  | 1120    | 1720     | 2240        |
| 24    | 840   | 870  | 1160    | 1780     | 2320        |

14 Gauge Thickness, 29 mm width 1 Side Stud Welded for SP 117,30,46,60

|             |          |
|-------------|----------|
| 8ft length  | Rs. 1200 |
| 10ft length | Rs. 1400 |
| 12ft length | Rs. 1600 |

14 Gauge thickness, 38mm width With 1 Side Stud Welded For SP 77,95,125,160,215

|             |          |
|-------------|----------|
| 8ft length  | Rs. 1700 |
| 10ft length | Rs. 2000 |
| 12ft length | Rs. 2400 |

### Straighted 201 Grade Stainless Steel Shaft With SS Coupling Bush

Stages SP 17 SP 30 SP 46,60 SP77,95 SP 125,160 SP 215

With 19mm Shaft With 22mm Shaft With 25mm shaft With 32mm Shaft With 45mm shaft

#### Rates

| Stages | SP 17 | SP 30 | SP 46,60 | SP77,95 | SP 125,160 | SP 215 |
|--------|-------|-------|----------|---------|------------|--------|
| 2      | 1000  | 1200  | 1350     | 1300    | 1700       | 3000   |
| 3      | 1100  | 1350  | 1550     | 1600    | 2300       | 4600   |
| 4      | 1200  | 1500  | 1750     | 1900    | 2900       | 6200   |
| 5      | 1300  | 1650  | 1950     | 2200    | 3500       | 7800   |
| 6      | 1400  | 1800  | 2150     | 2500    | 4100       | 9400   |
| 7      | 1500  | 1950  | 2350     | 2900    | 4700       | 11000  |
| 8      | 1600  | 2100  | 2550     | 3200    | 5300       | 12600  |
| 9      | 1700  | 2250  | 2750     | 3500    | 5900       | 14200  |
| 10     | 1800  | 2400  | 2950     | 3800    | 6500       | 15800  |
| 11     | 1900  | 2550  | 3150     |         |            |        |
| 12     | 2000  | 2700  | 3350     |         |            |        |

Fitting For 6" Motor

### 201 Grade Stainless Steel Shaft With SS Coupling

|     |        |
|-----|--------|
| 19m | RS.500 |
| 22m | RS.550 |
| 25m | RS.600 |
| 32m | RS.600 |
| 45m | RS.650 |



### 304 Grade SS Impeller Ring

|        |         |
|--------|---------|
| SP 17  | RS. 50  |
| SP 30  | RS. 70  |
| SP 46  | RS. 90  |
| SP 60  | RS. 90  |
| SP 95  | RS. 150 |
| SP 125 | RS. 250 |

### Splind Shaft For Motors

|          |         |
|----------|---------|
| 4" Motor | RS. 150 |
| 6" Motor | RS. 350 |



## Coupling

### Steel Coupling

| 4" Motor     | 6" Motor     |
|--------------|--------------|
| 19mm Rs. 450 | 22mm Rs. 480 |
| 22mm RS. 450 | 25mm RS. 800 |
|              | 32mm RS.1200 |



### MS Coupling

|      |         |
|------|---------|
| 22/4 | Rs. 480 |
| 22/6 | Rs. 630 |
| 25/6 | Rs. 660 |
| 32/6 | Rs. 880 |



### Connector SS Tips

4" RS.60

5" RS.70



## MS Flunch

|    |        |
|----|--------|
| 3" | RS.350 |
| 4" | RS.500 |
| 5" | RS.650 |
| 6" | RS.800 |



فیکٹری: پلاٹ نمبر 302 مومن پورہ  
انڈسٹریل ایسٹ لاہور

03200045029

**ASP 17 Complete Steel 2"**  
Delivery For 6" Borehole

| Stages | Rates |    |        |
|--------|-------|----|--------|
| 2      | 19425 | 18 | 99354  |
| 3      | 25137 | 19 | 104500 |
| 4      | 29495 | 20 | 110111 |
| 5      | 34910 | 21 | 115400 |
| 6      | 39144 | 22 | 120073 |
| 7      | 44031 | 23 | 125400 |
| 8      | 46258 | 24 | 130830 |
| 9      | 50500 | 25 | 135700 |
| 10     | 58247 | 26 | 141587 |
| 11     | 62700 | 27 | 147200 |
| 12     | 66270 | 28 | 151295 |
| 13     | 72000 | 29 | 157241 |
| 14     | 78530 | 30 | 162052 |
| 15     | 83000 |    |        |
| 16     | 89033 |    |        |
| 17     | 94500 |    |        |

**ASP 30 Complete Steel 2.5"**  
Delivery For 6" Borehole

| Stages | Rates  |    |        |
|--------|--------|----|--------|
| 2      | 20654  | 18 | 111920 |
| 3      | 25410  | 19 | 117300 |
| 4      | 31752  | 20 | 123916 |
| 5      | 37149  | 21 | 130400 |
| 6      | 42336  | 22 | 137426 |
| 7      | 50513  | 23 | 152400 |
| 8      | 55650  | 24 | 149452 |
| 9      | 60500  | 25 | 156200 |
| 10     | 66108  | 26 | 162568 |
| 11     | 70000  | 27 | 168000 |
| 12     | 74765  | 28 | 174552 |
| 13     | 79700  | 29 | 180210 |
| 14     | 86790  | 30 | 187681 |
| 15     | 92500  |    |        |
| 16     | 99033  |    |        |
| 17     | 105500 |    |        |

**ASP 46 Complete Steel 3"**  
Delivery For 6" Borehole

| Stages | Rates  |    |        |
|--------|--------|----|--------|
| 2      | 21788  | 18 | 114137 |
| 3      | 26733  | 19 | 119500 |
| 4      | 32324  | 20 | 126233 |
| 5      | 38472  | 21 | 132600 |
| 6      | 44562  | 22 | 38695  |
| 7      | 53407  | 23 | 144200 |
| 8      | 57262  | 24 | 151769 |
| 9      | 61500  | 25 | 157100 |
| 10     | 68841  | 26 | 164845 |
| 11     | 74900  | 27 | 17200  |
| 12     | 81283  | 28 | 176869 |
| 13     | 84700  | 29 | 182100 |
| 14     | 88438  | 30 | 189945 |
| 15     | 94100  |    |        |
| 16     | 101351 |    |        |
| 17     | 107000 |    |        |

**ASP 60 Complete Steel 4"**  
Delivery For 6" Borehole

| Stages | Rates  |    |        |
|--------|--------|----|--------|
| 2      | 22890  | 18 | 116237 |
| 3      | 27090  | 19 | 122300 |
| 4      | 32760  | 20 | 128552 |
| 5      | 39564  | 21 | 134800 |
| 6      | 45759  | 22 | 141012 |
| 7      | 55516  | 23 | 147021 |
| 8      | 59332  | 24 | 154088 |
| 9      | 64500  | 25 | 160100 |
| 10     | 70525  | 26 | 166112 |
| 11     | 75700  | 27 | 172300 |
| 12     | 83601  | 28 | 179188 |
| 13     | 86000  | 29 | 185212 |
| 14     | 90732  |    |        |
| 15     | 96000  |    |        |
| 16     | 103669 |    |        |
| 17     | 109700 |    |        |

**ASP 77 Complete Steel 4 to 5"**  
Delivery For 8" Borehole

| Stages | Rate   |
|--------|--------|
| 1      | 41800  |
| 2      | 57200  |
| 3      | 73150  |
| 4      | 89100  |
| 5      | 101220 |
| 6      | 116000 |
| 7      | 132000 |
| 8      | 147400 |
| 9      | 164400 |
| 10     | 181200 |

**ASP 77 Degi Fitting**

| Stage | Rate  |
|-------|-------|
| 1     | 26400 |
| 2     | 40700 |
| 3     | 55000 |
| 4     | 68750 |
| 5     | 82500 |

**ASP 95 Complete Steel 5" Delivery**  
For 8" Borehole

| Stages | Rate   |
|--------|--------|
| 1      | 41800  |
| 2      | 57200  |
| 3      | 73150  |
| 4      | 89100  |
| 5      | 101200 |
| 6      | 116600 |
| 7      | 132000 |
| 8      | 147400 |
| 9      | 167000 |

**ASP 95 Degi Fitting**

| Stage | Rate  |
|-------|-------|
| 1     | 26400 |
| 2     | 41800 |
| 3     | 55000 |
| 4     | 68750 |
| 5     | 82500 |
| 6     | 93500 |

**دوسال کی گارنٹی کے ساتھ**

یہ قیمتیں سال 2025ء کیلئے درست ہیں۔

**Chart For Average Flow Rate**

| Pumps Size | Avg. Flow Rate |
|------------|----------------|
| 17         | 300L/m         |
| 30         | 500L/m         |
| 46         | 800L/m         |
| 60         | 1000L/m        |
| 77         | 1283L/m        |
| 95         | 1583L/m        |
| 125        | 2000L/m        |
| 160        | 2666L/m        |
| 215        | 3166L/m        |

**ASP 215 Complete Steel 7" Delivery**  
For 12" Borehole

| Stage | Rate   |
|-------|--------|
| 1     | 100000 |
| 2     | 150000 |
| 3     | 200000 |
| 4     | 250000 |
| 5     | 300000 |
| 6     | 350000 |

**ASP 215 Degi Fitting**

| Stage | Rate   |
|-------|--------|
| 1     | 65000  |
| 2     | 110000 |
| 3     | 150000 |
| 4     | 190000 |

**ASP 125 Complete Steel 5 to 6"**  
Delivery For 10" Borehole

| Stage | Rate   |
|-------|--------|
| 1     | 67650  |
| 2     | 100650 |
| 3     | 133650 |
| 4     | 166650 |
| 5     | 199650 |
| 6     | 232650 |
| 7     | 265650 |
| 8     | 298650 |
| 9     | 333650 |

**ASP 125 Degi Fitting**

| Stage | Rate   |
|-------|--------|
| 1     | 41800  |
| 2     | 71500  |
| 3     | 101200 |

**ASP 160 Complete Steel 6" Delivery**  
For 10" Borehole

| Stage | Rate   |
|-------|--------|
| 1     | 68750  |
| 2     | 102850 |
| 3     | 136950 |
| 4     | 171050 |
| 5     | 205150 |
| 6     | 239250 |
| 7     | 273350 |
| 8     | 307450 |
| 9     | 335600 |

**ASP 160 Degi Fitting**

| Stage | Rate   |
|-------|--------|
| 1     | 41800  |
| 2     | 71500  |
| 3     | 101200 |

اسے بی بیس میں دل چھروڑو، پانچ گراؤنڈ لاہور

03200045029, 03314279524 رابطہ  
04237220668, 04237232560 نمبر

AB PUMPS

AB PUMPS